

Field test on curtains and drapes with antibacterial properties

Dr. med. K.-D. Zastrow

1. Introduction and project content

Sterilisation, disinfections and other supportive measures of the multi-barrier system act as vectors to the continuing spread of micro-organisms that can cause infections to break out. To these can be added the production of textiles such as curtains and drapes with a disinfecting function.

The principle applying is: the greater the quantity of agents, the higher the risk.

The aim was to establish whether, by reducing germs, curtains and drapes with antibacterial properties can be another sensible element in the multi-barrier system combating infection.

2. Carrying out trial in the clinic

2.1

Drapilux curtains and drapes were hung in 4 patient rooms (4 bed units).

Twice a week samples were taken using RODAC dishes.

In all rooms use was made of fabrics made from standard polyester materials and from Trevira CS Bioactive material.

It was not possible for either patients, care staff or laboratory personnel to recognise which of the curtains had antimicrobial properties.

2.2 Taking samples – places

The samples that were to be examined were taken directly from the curtain material.

2.3 Time and quantity of taking samples

Samples were always taken in the morning between 7.00 and 9.30 am.

4 rooms at 12 samples each (6 dishes "Bioactive " /6 dishes standard material)	= 48 samples
Samples taken twice weekly	= 96 samples
6 weeks x 96 samples	= 576 samples
standard material	= 288 samples
Trevira CS Bioactive	= 288 samples

2.4 Material for sample taking

The fabrics were shaken onto Agar plates with blood (RODAC process), which was used to determine the number of germs.

2.5 Processing in the laboratory

The petri dishes were labelled and incubated for 48 hours at 37° C. A count was made of the of the KBEs (colony forming units), while nosocomial infection agents (NIE) were determined on the basis of suspicion.

3. Contamination

3.1 Contamination of curtains / drapes in standard polyester

In total 288 samples were examined.
Contamination was on average 20.85 KBE / RODAC dish.
The number of nosocomial infection agents (NIE) was on average 0.83 KBE / dish.

standard polyester	KBE	
	NIE	
Staph. aureus	157	
Streptococci (suspicion)	65	
Klebsiella suspicion	15	
Aspergillus spp.	2	
Coagulase-negative staphylococci	1907	

3.2 Contamination of curtains / drapes in Trevira CS Bioactive.

In total 288 samples were examined.

Contamination was on average 10.02 KBE / RODAC dish.

The number of nosocomial infection agents (NIE) was on average 0.198 KBE / dish.

Trevira CS. Bioactive	KBE	
	NIE	
Staph. aureus	41	
Streptococci (suspicion)	1	
Klebsiella suspicion	0	
Aspergillus spp.	1	
Coagulase-negative staphylococci	804	

4. Results and conclusions

	standard polyester	Trevira CS Bioactive	difference
	KBE/NIE	KBE/NIE	%
Staph. aureus	157	41	-74.0
Streptococci (suspicion)	65	1	-98.4
Klebsiella suspicion	15	0	-100.0
Aspergillus spp.	2	1	-50.0


With the important nosocomial infection agents (NIE) a clear difference in contamination is revealed between the two fabrics in favour of the "bioactive" fibre.

Prior to this point in time there has not been clarity regarding the significance and necessity of changing drapes and curtains, and of the frequency of so doing.

There are no rules / regulations about this. Therefore it is particularly important to use materials that reduce the number of germs and especially those that are agents of nosocomial infections.

DR. MED. KLAUS - DIETER ZASTROW
ARZT FÜR HYGIENE UND UMWELTMEDIZIN
WEINHOLDWEG 5
14089 BERLIN

Curtain materials and drapes made from Trevira CS Bioactive can be an important factor in the multi-barrier system employed and they can contribute towards avoiding the spread of nosocomial infection agents and of work-related infections in hospital staff.



Dr. med. K.-D. Zastrow
Arzt für Hygiene und Umweltmedizin

Appendix: Table

KBE / proven microorganisms 20 cm ²																	
2		Aerob. Sporen bildner	Micrococcus luteus	Koagulase-negative Staph.	Hyphomycet	Staph. aureus	Streptokokken (Verdacht)	Klebsiella (Verdacht)	As-Perigillus spp.		Aerob. Sporen bildner	Micrococcus luteus	Koagulase-negative Staph.	Hypomyzet	Staph. aureus	Streptokokken (Verdacht)	Aspergillus spp.
3	PCS	15	3	12						BIO	18	16	2				
4	PCS	22	1	21						BIO	19	8	7	4			
5	PCS	26	1	24	1					BIO	8	6	2				
6	PCS	12	1	4	7					BIO	11		5	6			
7	PCS	4		3	1					BIO	10	4	3	3			
8	PCS	8	1	3	4					BIO	15	1	9	5			
9	PCS	33	1	13	19					BIO	8	1	2	5			
10	PCS	20		4	16					BIO	20	9	7	3	1		
11	PCS	5		3	2					BIO	11		2	9			
12	PCS	9		3	6					BIO	5	1	1	3			
13	PCS	14	3	6	5					BIO	13	8	2	3			
14	PCS	45		24	21					BIO	21	2	8	11			
15	PCS	57	2	8	47					BIO	24		3	21			
16	PCS	4			4					BIO	10	1		9			
17	PCS	56	3	4	49					BIO	8	1	4	3			
18	PCS	26		15	11					BIO	19	1	9	9			
19	PCS	20	5	4	11					BIO	10	3	2	5			
20	PCS	18	3	6	9					BIO	15		2	13			
21	PCS	25	3	9	13					BIO	2			2			
22	PCS	36	2	25	9					BIO	10	9	1				
23	PCS	3		2	1					BIO	14	2	4	8			
24	PCS	7	1	2	3	1				BIO	7	2	2	3			
25	PCS	12	6	2		1	3			BIO	7	1		6			
26	PCS	15	1	3	11					BIO	11	2	3	6			
27	PCS	8	1	6	1					BIO	13	8	2	3			
28	PCS	5		2	3					BIO	8		4	4			
29	PCS	39	18	9	12					BIO	18	8	10				
30	PCS	41	2	17	22					BIO	12	9	1	2			
31	PCS	13		2	11					BIO	14	5	6	3			
32	PCS	8	3	2	3					BIO	13	3	2	8			
33	PCS	80	1		59		5	15		BIO	23	11	11	1			
34	PCS	10	1	5	4					BIO	13	2	5	6			
35	PCS	3	2	1						BIO	17	4	7	3		3	
36	PCS	4	2	1				1		BIO	19		12	7			
37	PCS	19	2		17					BIO	11	10	1				
38	PCS	18	1	9	8					BIO	18	9	8	1			
39	PCS	8		5	3					BIO	11	3	5	3			
40	PCS	6	1	4	1					BIO	8		6	2			
41	PCS	15	2	8	5					BIO	13	4	4	5			
42	PCS	59	2	48	9					BIO	17	3	7	7			
43	PCS	8		3	5					BIO	7			5		2	

44	PC8	6			6				
45	PC8	5	3	1	1				
46	PC8	7	1	2	4				
47	PC8	23	1	3	19				
48	PC8	5	1	2	2				
49	PC8	11		5	6				
50	PC8	8	1	2	5				
51	PC8	4	1	1	1				1
52	PC8	4	2	2					
53	PC8	50	1		48				1
54	PC8	14	1	6	7				
55	PC8	17	1	15	1				
56	PC8	120		105	15				
57	PC8	5	1	3	1				
58	PC8	13	6	3	4				
59	PC8	1			1				
60	PC8	6		5	1				
61	PC8	6	1	3	2				
62	PC8	14			14				
63	PC8	6	1		5				
64	PC8	19	1	3	15				
65	PC8	6	2	2	2				
66	PC8	41	5	19	17				
67	PC8	12	1	2	8	1			
68	PC8	10		4	6				
69	PC8	20	2	10	7	1			
70	PC8	16		10	6				
71	PC8	25		3	22				
72	PC8	5	2	2	1				
73	PC8	95	2	2	43	48			
74	PC8	22	1	2	18	1			
75	PC8	35	4	3	28				
76	PC8	38		17	4	17			
77	PC8	22	2	5	15				
78	PC8	25		6	17				
79	PC8	7		3	4				
80	PC8	8	1	2	5				
81	PC8	17		2	15				
82	PC8	8		4	4				
83	PC8	5	1		4				
84	PC8	10		4	6				
85	PC8	6	1	5					
86	PC8	56	3	33	19	1			
87	PC8	17	1	5	11				
88	PC8	11	2	2	7				
89	PC8	39	1	4	19	15			
90	PC8	21	4	6	9	1	1		
91	PC8	12	6	2	3			1	
92	PC8	15	9	3	2			1	
93	PC8	31	11	9	10		1		
94	PC8	9	7	2					
95	PC8	22	15	5	1			1	
96	PC8	45	31	9	4		1		
97	PC8	9	3	2	3				1
98	PC8	22	6	3	13				
99	PC8	34	12	12	10				

BIO	6	2	3	1					
BIO	6	1	4	1					
BIO	12	2	3	7					
BIO	11	2		9					
BIO	32	20	11	1					
BIO	5	1	2	2					
BIO	6	1	5						
BIO	9	1	2	6					
BIO	6	2	1	3					
BIO	15	3	6	4					
BIO	3	1	1			1			
BIO	11	2	6	3					
BIO	15	2	7	6					
BIO	2	1	1						
BIO	9	1	4	3					1
BIO	7	2	2	3					
BIO	12	2	4	6					
BIO	19	17	1	1					
BIO	14	10	4						
BIO	12	5	1	6					
BIO	10	2		8					
BIO	2		2						
BIO	10		4	6					
BIO	5		4	1					
BIO	9		1	8					
BIO	24	3	4	15	2				
BIO	23	3	7	13					
BIO	16	3	6	6	1				
BIO	10	2	1	7					
BIO	29		2	25	2				
BIO	11	1	5	4	1				
BIO	22	1	2	16	1	2			
BIO	12		3	7	2				
BIO	16	9	1	6					
BIO	15		5	10					
BIO	19	3	12			4			
BIO	8		3	5					
BIO	13	10	3						
BIO	13		8	5					
BIO	12		6	3	1				
BIO	8			7	1				
BIO	14	1	5	8					
BIO	14	1	5	8					
BIO	8	6	2						
BIO	19	6	6	7					
BIO	14	3	3	8					
BIO	9		6	2		1			
BIO	5	3	1	1					
BIO	7	5	2						
BIO	4	4							
BIO	1		1						
BIO	7	3	3	1					
BIO	13	4	7	2					
BIO	5	3	2						
BIO	10	6	4						
BIO	11	4	6	1					

100	PCS	18	8	6	2	1	1		
101	PCS	8	3	1	2		2		
102	PCS	9	2	2	2		3		
103	PCS	18	7	10	1				
104	PCS	22	11	9	1		1		
105	PCS	9	3	2	4				
106	PCS	23	12	5	6				
107	PCS	3		1	1		1		
108	PCS	28	3	22	3				
109	PCS	23	9	14					
110	PCS	12	4	6	2				
111	PCS	7	4	2			1		
112	PCS	12	5	6	1				
113	PCS	23	10	11			1	1	
114	PCS	15	11	4					
115	PCS	9	5	3	1				
116	PCS	23	12	5	6				
117	PCS	14	9	5					
118	PCS	23	5	9	9				
119	PCS	17	12	2	3				
120	PCS	8	4	1	3				
121	PCS	24	4	5	15				
122	PCS	12	3	5	4				
123	PCS	14	6	3	5				
124	PCS	23	11	7	5				
125	PCS	8	5	1	2				
126	PCS	43	23	3	17				
127	PCS	23	12	8	3				
128	PCS	7	1	5	1				
129	PCS	14	12	1	1				
130	PCS	9	1	3	5				
131	PCS	19	9	6	4				
132	PCS	23	3	9	6		2	3	
133	PCS	34	12	16	2		1	3	
134	PCS	31	15	16					
135	PCS	26	12	8	6				
136	PCS	9	3	5	1				
137	PCS	19	1	6	12				
138	PCS	43	31	6	3		3		
139	PCS	16	5	5	6				
140	PCS	33	14	18			1		
141	PCS	6	1	3	2				
142	PCS	45	23	16	5		1		
143	PCS	33	21	8	4				
144	PCS	9		1	8				
145	PCS	5	1	4					
146	PCS	12	4	5	3				
147	PCS	3	2	1					
148	PCS	34	12	15	7				
149	PCS	67	33	23	10	1			
150	PCS	14	5	5	4				
151	PCS	34	12	10	8	1	3		
152	PCS	32	18	8	6				
153	PCS	18	1	3	14				
154	PCS	11	6	3	2				
155	PCS	54	4	3	43		4		

BIO	12	2	4	6					
BIO	1		1						
BIO	5	1	3	1					
BIO	8	3	4	1					
BIO	11	3	3	4	1				
BIO	6	1	4	1					
BIO	11	6	4	1					
BIO	4	2	2						
BIO	22	16	2	3	1				
BIO	17	5	7	5					
BIO	6	2	4						
BIO	3	2	1						
BIO	5	2	1	1	1				
BIO	9	1	7	1					
BIO	11	9	2						
BIO	3	2	1						
BIO	9	1	3	5					
BIO	5	1	4						
BIO	1	1							
BIO	12	1	6	4	1				
BIO	9	3	1	5					
BIO	8	2	3	3					
BIO	11	1	2	8					
BIO	9	2	7						
BIO	3		3						
BIO	6	1		5					
BIO	8	3	3	2					
BIO	9	1	7	1					
BIO	8	3	1	4					
BIO	14	1	2	11					
BIO	2			2					
BIO	11	4	4	3					
BIO	7	1	3	3					
BIO	11	5	5	1					
BIO	7	2	5						
BIO	11	6	3	2					
BIO	4	1	2	1					
BIO	8	2	4	2					
BIO	11	2	8	1					
BIO	12	9	1	2					
BIO	11	5	6						
BIO	9	3	2	4					
BIO	16	1	11	4					
BIO	20	2	17	1					
BIO	8	1	7						
BIO	9	7	2						
BIO	16	14	1	1					
BIO	5	3	2						
BIO	11	3	5	3					
BIO	8	1	6	1					
BIO	12	4	3	5					
BIO	17	3	7	7					
BIO	7			5	2				
BIO	11	4	6	1					
BIO	6	1	4	1					
BIO	7	3	3	1					

156	PCS	12	1	2	8	1			
157	PCS	35	4	3	28				
158	PCS	12	1	5	4		1	1	
159	PCS	8	2	5	1				
160	PCS	24		8	16				
161	PCS	27	20	3	4				
162	PCS	11	1	5	5				
163	PCS	22	2	2	14			2	2
164	PCS	8	3	2	3				
165	PCS	9	1	1	4	1	2		
166	PCS	26	13	4	6		1	1	1
167	PCS	23	4	15	4				
168	PCS	12	3		9				
169	PCS	16	2	4	10				
170	PCS	15	2	2	7		1	3	
171	PCS	22		4	18				
172	PCS	32	16	6	9		1		
173	PCS	13	6	3	3			1	
174	PCS	19	9	3	6			1	
175	PCS	15	5	4	3	1	1		1
176	PCS	12	8	4					
177	PCS	5	1	3	1				
178	PCS	12	7	4	1				
179	PCS	16	3	7	6				
180	PCS	11	7	3	1				
181	PCS	23	14	2	3	1	1	2	
182	PCS	5		2	1			2	
183	PCS	22	17	3	2				
184	PCS	9	1	3	4		1		
185	PCS	16	12	1	3				
186	PCS	8	4	2	1	1			
187	PCS	29	22	2	5				
188	PCS	8	7	1					
189	PCS	6	1	3	1		1		
190	PCS	14	9	3	2				
191	PCS	21	2	7	9	1	2		
192	PCS	11	7	3	1				
193	PCS	7	1	5	1				
194	PCS	12	2	4	3			3	
195	PCS	8	5	3					
196	PCS	21	13	7			1		
197	PCS	8	5	1	2				
198	PCS	7	3	2	2				
199	PCS	17	12	5					
200	PCS	19	5	12	1		1		
201	PCS	11	1	3	6	1			
202	PCS	16	11	2				3	
203	PCS	8	4	3	1				
204	PCS	14	1	1	12				
205	PCS	12	6	3	2			1	
206	PCS	21	6	9	6				
207	PCS	14	4	5	5				
208	PCS	11	6	5					
209	PCS	16	4	8	3		1		
210	PCS	34	7	7	19	1			
211	PCS	13	5	6	2				

BIO	7	4	3						
BIO	9		8	1					
BIO	3	1	2						
BIO	6	1	5						
BIO	11	2	2	7					
BIO	6	2	1	3					
BIO	10	3	3	4					
BIO	11	7	1	1			2		
BIO	8	1	6	1					
BIO	15	2	7	6					
BIO	5	1	1	3					
BIO	8	1	4	3					
BIO	9	4	4	1					
BIO	3		3						
BIO	4	1	1	2					
BIO	4	2	2						
BIO	7	5	1	1					
BIO	8	2	4	2					
BIO	4	1	2	1					
BIO	2		2						
BIO	9		4	5					
BIO	4		1	3					
BIO	5	3					2		
BIO	12	3	7	2					
BIO	14	6	4	1	3				
BIO	7	4	1	2					
BIO	5	2	2				1		
BIO	9		5	4					
BIO	4	1	2		1				
BIO	7	2	2	3					
BIO	6		1	5					
BIO	10		5	5					
BIO	14	3	8	2			1		
BIO	8		3	5					
BIO	9	5	3	1					
BIO	10	2	8						
BIO	9		5	3			1		
BIO	8	7					1		
BIO	6	1	5						
BIO	4	1	1	2					
BIO	7	6		1					
BIO	8	5	1	2					
BIO	2		1	1					
BIO	7		6				1		
BIO	5	2	1	2					
BIO	7	5	2						
BIO	9	4	3	2					
BIO	12	8	1	3					
BIO	4	3		1					
BIO	9		7	2					
BIO	9	4	5						
BIO	3	1	2						
BIO	7	4	2	1					
BIO	11	2	4	5					
BIO	17	15	1	1					
BIO	5	1	3	1					

212	PCS	23	18	2	3				
213	PCS	34	19	11	4				
214	PCS	16	8	2	4	2			
215	PCS	44	26	14	4				
216	PCS	12	2	2	6	1	1		
217	PCS	12	5	1	6				
218	PCS	14	4	3	7				
219	PCS	12	9	1		2			
220	PCS	33	5	5	21	2			
221	PCS	13	3	7	3				
222	PCS	18	9	5	2	2			
223	PCS	52	29	11	10		2		
224	PCS	32	2	22	8				
225	PCS	17	7	4	6				
226	PCS	43	17	23	3				
227	PCS	26	6	11	9				
228	PCS	34	22	8	1	3			
229	PCS	8	5	3					
230	PCS	23	12	11					
231	PCS	35	8	22	5				
232	PCS	45	19	16	8	2			
233	PCS	26	12	4	10				
234	PCS	34	17	10	7				
235	PCS	33	13	9	11				
236	PCS	5		1	3	1			
237	PCS	19	12	3	3	1			
238	PCS	44	29	14	1				
239	PCS	38	3	16	18	1			
240	PCS	45	15	19	11				
241	PCS	26	6	8	12				
242	PCS	18	9	2	6	1			
243	PCS	9	2	5	2				
244	PCS	31	18	1	12				
245	PCS	24	12	8	4				
246	PCS	48	7	20	21				
247	PCS	37	5	12	20				
248	PCS	12	6	2	3	1			
249	PCS	22	2	9	9	1	1		
250	PCS	42	12	18	7	2	3		
251	PCS	17	6	4	3		4		
252	PCS	23	9	9	3	2			
253	PCS	42	21	14	5	2			
254	PCS	56	25	31					
255	PCS	32	7	8	17				
256	PCS	18	11	3	4				
257	PCS	8	1	2	5				
258	PCS	32	14	2	15		1		
259	PCS	8		5	3				
260	PCS	36	19	16	1				
261	PCS	49	39	4	6				
262	PCS	26	13	10	3				
263	PCS	33	3	30					
264	PCS	22	8	12	2				
265	PCS	9	2	2	5				
266	PCS	15	1	4	10				
267	PCS	35	14	10	9	1	1		

BIO	7	3	4						
BIO	11	3	3	4	1				
BIO	6	1	4	1					
BIO	5	6	3						
BIO	10	7	2	1					
BIO	8		2	5	1				
BIO	6	1	1	4					
BIO	7	2	3	2					
BIO	17	8	7	2					
BIO	9	3	5	1					
BIO	9		6	3					
BIO	11	4	4	3					
BIO	12	3	7	2					
BIO	7			5	2				
BIO	6	2	2	2					
BIO	8	2	4	2					
BIO	8	6	1	1					
BIO	13	11	2						
BIO	12	1	11						
BIO	5	1	1	3					
BIO	6	1	5						
BIO	14	5	4	5					
BIO	9	5	2	2					
BIO	12	2	8	2					
BIO	7	1	1	5					
BIO	9	6	3						
BIO	11	5	3	3					
BIO	8	3	4	1					
BIO	8	1	4	3					
BIO	4	4							
BIO	5	2	2	5					
BIO	11	10	1						
BIO	8	1	4	3					
BIO	8	5	2	1					
BIO	4	2		2					
BIO	3	1	2						
BIO	9	4	4	1					
BIO	6	1	4	1					
BIO	9	8	1						
BIO	9	3	4	1	1				
BIO	9	3	6						
BIO	10	3	6	1					
BIO	22	11	9	2					
BIO	11	3	5	3					
BIO	10	9	1						
BIO	3	1	2						
BIO	7		3	3	1				
BIO	6	5	1						
BIO	11	2	5	4					
BIO	23	8	12	2	1				
BIO	15	10	3	2					
BIO	12	8	3	1					
BIO	9	2	2	5					
BIO	8		5	3					
BIO	11	8	1	1	1				
BIO	18	9	8				1		

268	PCS	23	6	14	3					
269	PCS	29	19	7	2		1			
270	PCS	11	9	2						
271	PCS	34	28	4	2					
272	PCS	21	15	5	1					
273	PCS	28	22	4	2					
274	PCS	8	3		5					
275	PCS	12	9	3						
276	PCS	5	4	1						
277	PCS	61	45	14	1		1			
278	PCS	11	6	5						
279	PCS	23	7	14	2					
280	PCS	11	4	4	3					
281	PCS	35	21	9	5					
282	PCS	34	18	9	6			1		
283	PCS	19	4	7	8					
284	PCS	23	8	11	4					
285	PCS	20	8	12						
286	PCS	11	5	5	1					
287	PCS	50	22	10	14		3	1		
288	PCS	33	13	9	6		5			
289	PCS	29	9	12	5		3			
290	PCS	9	6	2	1					
Summe	PCS	6005	1912	1928	1907	19	157	65	15	2

BIO	11	6	5							
BIO	9	6	1	2						
BIO	9	3	5	1						
BIO	7	3	3	1						
BIO	22	13	6	2		1				
BIO	4	2	1	1						
BIO	12	11	1							
BIO	9	5	1	3						
BIO	17	13		4						
BIO	12	6	2	4						
BIO	12	9	2	1						
BIO	3		2	1						
BIO	8		6	2						
BIO	9	3	4		2					
BIO	27	22	2	3						
BIO	12	12								
BIO	7	1	6							
BIO	8	5	3							
BIO	31	21	7	3						
BIO	5	4	1							
BIO	14	11	3							
BIO	8	3	5							
BIO	4	3	1							
BIO	2886	1004	1021	804	14	41	1	0	1	

Dr. med. K.-D. Zastrow